



form no. 7530-001-103

1 2

1 2



RECOMMENDED PC DIMENSIONS

NOTES:

1. MATERIAL:

CONTACTS-COPPER ALLOY
SHELL-COPPER ALLOY
HOUSING-UL 94-V-0 RATED THERMOPLASTIC.

2. PLATING:

CONTACTS-0.76um MINIMUM GLOD FLASH OVER PALLADIUM
NICKEL IN CONTACT AREA OR 0.76um MIN GOLD FLASH
3.8um MINIMUM TIN-LEAD ON SOLDER TAILS
ALL OVER 1.27um MINIMUM NICKEL.
SHELL, 5um MINIMUM BRIGHT TIN
OVER 2.5um MINIMUM NICKEL.

3. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.




4. RECOMMENDED PC BOARD THICKNESS OF 1.57mm.

5. P/N SEE PRODUCT NUMBER CODE.

(TO BE CONTINUED)

mat'l. code	NOTE 1 & 2	tolerances unless otherwise specified	CUSTOMER COPY	FCI	UNIV. SERIAL BUS DOUBLE DECK RECEPTACLE	code
ltr	ecn no	dr	date	line art	projection	title
AC	N05-0086	PH	03/09/05	linear	XX ±.20	DOUBLE DECK RECEPTACLE
AD	N05-0106	PH	04/13/05	linear	XXX ±.10	DOUBLE DECK RECEPTACLE
AE	N06-0101	HB	04/13/06	angles	0° ±.3°	DOUBLE DECK RECEPTACLE
AF	N06-0133	HB	05/17/06	dr	PETER 12/10/97	DOUBLE DECK RECEPTACLE
AA	T04-0206	WL	05/13/04	engr	R Y LUU 12/10/97	DOUBLE DECK RECEPTACLE
AB	N04-0086	PH	11/09/04	cht	R Y LUU 12/10/97	DOUBLE DECK RECEPTACLE
sheet	revision	Y	AF	AA	Y	AE
index	sheet	1	2	3	4	

code 22526



- (CONTINUED)
6. FOR LEAD FREE P/N, A LEAD FREE LABEL WILL APPEAR AT PACKING.
 7. FOR LEAD FREE P/N, THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 40 SECONDS IN A CONVECTION, INFRARED OR VAPOR PHASE REFLUX OVEN.
 8. FOR LEAD FREE P/N, THE PRODUCT MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008




ASSEMBLY WITHOUT BACK SHIELD
72309-XX3XX SHOWN

mat'l. code			tolerances unless otherwise specified			CUSTOMER COPY			FCJ		
ltr	ecr	no	dr	date	linear	projection	title	www.fcjconnect.com	product family	code	sheet
AA					.XX ±.20	mm	UNIV. SERIAL BUS		USB		2 of 4
					.XXX ±.10		DOUBLE DECK RECEPTACLE				
					0 ±.5°						
					angles						
					dr	PETER PM	12/10/97				
					engr	R Y LU	12/10/97				
					chr	R Y LU	12/10/97				
					appr	JENN TSAO	12/10/97				
sheet	revision										
index	sheet										



B

A



ASSEMBLY WITH BACK SHIELD
 72309 - XX4XX SHOWN

mat'l. code	ecr no	dr	date	tolerances unless otherwise specified	CUSTOMER COPY	title	product family	code
Y				.X ±.30		UNIV. SERIAL BUS	USB	
				.XX ±.20		DOUBLE DECK RECEPTACLE		
				.XXX ±.10				
				0° ±5°				
				PETER PM	12/01/97			
				engr	R Y LUU	12/10/97		
				chr	R Y LUU	12/10/97		
				appd	JENN TSAO	12/10/97		
sheet	revision							
index	sheet							

form no. 7530-001-103

1 | 2

3

4

code 22526

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI / Amphenol:

[72309-7014BLF](#) [72309-7043BLF](#) [72309-8023BLF](#) [72309-5013RLF](#) [72309-7034BLF](#) [72309-7044RLF](#) [72309-8034RLF](#) [72309-8034BLF](#) [72309-8044BLF](#) [72309-8014BLF](#) [72309-2023RLF](#) [72309-5044BLF](#) [72309-7044BLF](#) [72309-8023RLF](#) [72309-8033BLF](#) [72309-8024RLF](#) [72309-7043RLF](#) [72309-8014RLF](#) [72309-7014RLF](#) [72309-2034RLF](#) [72309-8044RLF](#) [72309-5044RLF](#) [72309-7034RLF](#)