



RUE SAINT-HENRI 11, P.O. BOX 834 - CH-2800 DELÉMONT / SWITZERLAND

## Your selected product

### Jumpers - PCB Connectors

Series 999

**999-11-230-10**

2.54 mm, Male Jumpers

Available with or without insulator, and with 2.54, 5.08 or 7.62 mm pin spacing. For use with standard socket connectors.

### Technical specs.:

**Insulator:** Black glass filled polyester PBT-GF30-FR

**Flammability:** UL 94V-O

**Contact:** Brass CuZn36Pb3 (C36000)


**Connecting pin Ø:** 0.56 mm

**Mechanical life:** Min. 100 cycles

**Rated current:** 3 A

**Contact resistance:** Max. 10 mΩ

**Dielectric strength:** Min. 1000 V RMS



### Ordering information RoHS-compliant parts

P Plating code

1 Gold 0.25 µm

Option

Jumpers without insulator with wire Ø 0.50 mm instead of 0.56 mm. Part numbers:

B = 2.54 mm 999-51-110-10

B = 5.08 mm 999-51-112-10

B = 7.62 mm 999-51-113-10


[General technical specs.](#) [View CAD](#)

Advanced information:

|               |                            |  |
|---------------|----------------------------|--|
| Order Codes   |                            |  |
| 999-11-230-10 | <a href="#">View Image</a> |  |


999-11-110-10

Jumpers for socket connectors,  
B = 2.54 mm, not insulated



999-11-210-10

Jumpers for socket connectors,  
B = 2.54 mm, with black insulator



999-11-210-11

Jumpers for socket connectors,  
B = 2.54 mm, with red insulator

999-11-112-10

Jumpers for socket connectors,  
B = 5.08 mm, not insulated

---

#### **999-11-220-10**

Jumpers for socket connectors,  
B = 5.08 mm, with black insulator

---

#### **999-11-220-11**

Jumpers for socket connectors,  
B = 5.08 mm, with red insulator

---

#### **999-11-113-10**

Jumpers for socket connectors,  
B = 7.62 mm, not insulated

---

#### **999-11-230-10**

Jumpers for socket connectors,  
B = 7.62 mm with black insulator

---

#### **999-11-230-11**

Jumpers for socket connectors,  
B = 7.62 mm with red insulator

---

#### **999-11-110-10**

Jumpers for socket connectors,  
B = 2.54 mm, not insulated

---

**999-11-210-10**

Jumpers for socket connectors,  
B = 2.54 mm, with black insulator

---

**999-11-210-11**

Jumpers for socket connectors,  
B = 2.54 mm, with red insulator

---

**999-11-112-10**

Jumpers for socket connectors,  
B = 5.08 mm, not insulated

---

**999-11-220-10**

Jumpers for socket connectors,  
B = 5.08 mm, with black insulator

---

**999-11-220-11**

Jumpers for socket connectors,  
B = 5.08 mm, with red insulator

---

**999-11-113-10**

Jumpers for socket connectors,  
B = 7.62 mm, not insulated

### **999-11-230-10**

Jumpers for socket connectors,  
B = 7.62 mm with black insulator

---

### **999-11-230-11**

Jumpers for socket connectors,  
B = 7.62 mm with red insulator

---

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Preci-dip:

[999-51-113-10](#) [999-51-110-10](#) [999-51-112-10](#)