






△數 COUNT	訂正事項 DISCRIPTION OF REVISIONS	擔當 B Y	檢圖 CHKD	年月日 DATE	△數 COUNT	訂正事項 DISCRIPTION OF REVISIONS	擔當 B Y	檢圖 CHKD	年月日 DATE
△	2	RE-5-1566	N.J.W	S.H.C	17.02.06	△			. .
△					△				. .
△					△				. .



4	LEVER	STAINLESS STEEL	Ni	8	DETECT	COPPER ALLOY	CONTACT: NiP + Pd-Ni + AuP
3	EJECT BAR	STAINLESS STEEL	 -				MOUNTING: NiP + AuP
2	SH-CONTACT	COPPER ALLOY	CONTACT: NiP + Pd-Ni + AuP	7	LATCH-L	STAINLESS STEEL	Ni
			MOUNTING: NiP + AuP	6	LATCH-R	STAINLESS STEEL	Ni
1	Ins.Base	LCP	BLACK / UL94-V0	5	COVER	STAINLESS STEEL	Ni
NO.	PART	MATERIAL	FINISH,REMARKS	NO.	PART	MATERIAL	FINISH,REMARKS



CODE NO. (OLD)		DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
TITLE		T.H.GU	T.H.GU	B.H.AN	H.C.SONG	ENG 17.02.06 DEPT
SINGLE TRAY SOCKET		15.08.19	15.08.19	15.08.19	15.08.19	
	DRAWING NO.		PART NO.			
SCALE	EDC3-631853		KP13TS-6S-SF(800)			
5:1						
UNITS	HIROSE KOREA CO.,LTD.		CODE NO			
mm			CL 6530-0004-4-800			
			1/3			

UNLESS OTHERWISE SPECIFIED SEE TABLE FOR TOLERANCES		
尺寸區分 OVER	TO	公差 TOLERANCE
0	6	± 0.05
6	15	± 0.08
15	30	± 0.1
30	60	± 0.15
角度 ANGULAR		± 1°

Aug.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
本製品を車載用途などの高い信頼性が求められる機器にご使用の場合は、弊社までお問合せ下さい。

RECOMMEND P.C.B PATTERN LAYOUT (TOLERANCE : ± 0.05)

RECOMMEND METAL MASK THICKNESS : 0.12mm




NANO SIM CARD PAD LAY OUT

PIN No.	Name
C1	Vcc(Supply V)
C2	RST(Reset)
C3	CLK(Clock)
C4	Reserved
C5	GND
C6	Vpp(Program V)
C7	I/O
C8	Reserved

NANO SIM CARD ASSIGNMENT

RECOMMEND TRAY LAYOUT



4 MANUFACTURING DATE SYSTEM



H 6 C 8 1(A)
PRODUCTION LINE : LINE No.
DATE : 8TH
MONTH : DEC
YEAR : 2016
SUPPLIER : HIROSE KOREA

4 TABLE.1

YEAR	SYMBOL	MONTH		DATE							
		SYMBOL	MONTH	SYMBOL	DATE	SYMBOL	DATE	SYMBOL	DATE	SYMBOL	DATE
2016	6	Jan.	1	1	1	11	11	21	21		
2017	7	Feb.	2	2	2	12	12	22	22		
2018	8	Mar.	3	3	3	13	13	23	23		
2019	9	Apr.	4	4	4	14	14	24	24		
2020	0	May.	5	5	5	15	15	25	25		
2021	1	Jun.	6	6	6	16	16	26	26		
2022	2	Jul.	7	7	7	17	17	27	27		
2023	3	Aug.	8	8	8	18	18	28	28		
2024	4	Sep.	9	9	9	19	19	29	29		
2025	5	Oct.	A	10	10	20	20	30	30		
		Nov.	B					31	31		
		Dec.	C								


Aug.1.2019 Copyright 2019 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
本製品を車載用途などの高い信頼性が求められる機器にご使用の場合は、弊社までお問合せ下さい。

5 PACKING TYPE : TAPE AND 1,600PCS PER 1REEL
DRAWING FOR PACKING




DETAIL OF REEL

REVISED
CONFIGURATION



Detail G



3	(CONNECTOR)	
2	TOP COVER TAPE	POLYESTER
1	EMBOSS CARRIER TAPE	PS
No.	PART	MATERIAL
HRS HIROSE KOREA CO.,LTD.		圖番 DRAWING NO. EDC3-631853
		3/3